



authenteak .com ☐ Follow us @authenteak .ft. 1094 Huff Rd. Atlanta, GA 30318 Local 404-525-1995 * 1-866-350-TEAK info@authenteak.com ☐ Follow us @authenteak ☐ Like authenteak



Made in the U.S.A. by Superior Equipment Solutions, Inc. • Commerce, CA Toll-free (888) 383-8800 • (323) 722-7900 • fax (323) 726-4700

Visit our website at alfrescogrills.com • Email to info@alfrescogrills.com







Imagine...

Your backyard transformed into your favorite resort getaway. Think of the time well spent with family and friends, the food, libations, and fun. It's no surprise that Alfresco can make your imagination reality - after all, we've designed and built equipment for many of the nation's finest hotels and restaurants. Through constant innovation, we strive to bring the professional culinary experience to the outdoors. Refrigerate, prep, cook, serve, and entertain with panache and style all with an Alfresco open air culinary system.










The key to perfectly grilled food is instant carmelization, which seals in juices for tender, moist and flavorful food. The LX2 grill has been engineered to deliver the intense, even heat needed to achieve perfect results, with the control and flexibility needed for all kinds of food.



18SR Stainless Steel w / Titanium main tube burners

27,500 BTU main burners are made from high-temp 18SR stainless steel and titanium with dual rows of double lanced combusting ports 3 sides plus a crossover tube for maximum surface flame distribution

- High temperature resistance rated to nearly 3,500°F
- Oxidation and corrosion resistant for max longevity
- Unlike cast burners, delivers consistent, clean combustion
- Lifetime warranty



Cutaway of

rotis motor

built-in

Exclusive

110 V Plug & Play **Design Powers:**


- Ignition
- Halogen Lighting
- Built-in Hidden Rotisserie Motor

Exclusive

Integrated, Hidden Rotisserie Motor w / **Chain-driven Spit**

- No need need for counter balance weight
- Commercial motor with 120lbs of turning torque
- Oversized stainless steel rotisserie spit
- Ceramic infrared rear burner locks in juices and flavor

Heat-stabilizing radiant briquette tray with rails to lock briquettes into place



Porcelain ceramic 5-way heating briquettes

have a special pyramid shape and cavity back to collect and evenly distribute heat to the cooking surface. New radiant tray locks briquettes in place. Turn tray over and fire burners on high to self clean.



Made in the U.S.A. from all commercial-grade 304 18-8 stainless steel, all heli-arc welded by hand at all seams with no mechanical fasteners.



27,500 BTU Sear Zone™ is available on all LX2 grills. 100% combusting ceramic surface for intense even heat and authentic steakhouse results Reaches 1,500° F in 4 minutes and cooks 50% faster with virtually no flare-ups



Integrated, Wood Smoker & Herb Infusion System

- dedicated 5,000 BTU s/s burner
- Wood drawer holds large wood chunks
- cold smoke capabiliies
- Linear defusing vents naturally ejects smoke at 200 degrees to food zone







Air Cooled Front **Control Panel**

Naturally provides a curtain of cool air that flows up through control panel protecting eletronics and keeping all front surfaces safely cool



Full front and rear double

skin, seamless, welded hoods

with hand polished accents, featuring uniquely clean lines,

with hidden hardware and no

gap at the pivot point for the

rotis spit. This results in a

rigid and perfectly smooth

pivoting hood that also

captures more heat.

Integrated high-intensity halogen work lights angle slightly toward the center for bright, even illumination.



Standalone Sear Zone™


Optional on all grills (standard on 56" Jumbo models) is the Sear Zone™ ceramic infrared searing system. This 27,500 BTU ceramic burner heats to over 1,500 degrees in about 4 minutes and flash-carmelizes food locking in juices and flavor, while exclusive V-grate catches food drippings, instantly bursting natural flavors right back to food for optimal flavor enhancing.











The Sear Zone™

Infrared system, an option on all other Alfresco grills, is a standard feature on the 56BFG.

Available Models

ALX2-56BFG 56" Jumbo built-in grill ALX2-56BFGC 56" Jumbo cart model grill ALX2-56BFGR 56" Jumbo on refrigerated cart

NEW! Dual warming racks for added versatility

56" ALX2 ALL GRILL

- Three 18-SR stainless steel main burners producing 82,500 BTUs
- Sear Zone[™] with 27,500 BTU ceramic infrared burner
- Integrated rotisserie system with built-in motor and dual 15,000 BTU infrared burners
- Smoker system with 5,000 BTU dedicated burner & drawer for wood chunk
- 998 sq. in. actual grilling area
- 3 Position warming racks stores up out of the way when rotissing
- Dual integrated high-intensity halogen work lights
- User-friendly push button ignition with sealed 110v AC power source



Cart model features dual storage drawers

Alfresco's

side burner accessories, such as a wok ring and commercial griddle all work with the 56" Deluxe LX2. grill.





.....

Available Models

ALX2-56 56" Deluxe built-in grill With Sear Zone, ALX2-56SZ ALX2-56C 56" Deluxe cart model grill With Sear Zone, ALX2-56SZC ALX2-56RFG 56" Deluxe on refrigerated cart With Sear Zone, ALX2-56SZRFG



56" Grill also available w/ Integrated Refrigerated Base w/ Door & Two Marinating Drawers (see ARFG-42FB for refrigeration specs)



56" ALX2 DELUXE GRILL

- Three 18-SR stainless steel main burners producing 82,500 BTUs
- Integrated rotisserie system with built-in motor and 18,500 BTU infrared burner
- Smoker system with 5,000 BTU dedicated burner & drawer for wood chunks
- 770 sq. in. actual grilling area
- 3 Position warming racks stores up out of the way when rotissing
- Dual integrated 20,000 BTU side burner with recessed, sealed top and SS cover
- User-friendly push button ignition with sealed 110v AC power source
- Optional infrared Sear Zone[™] and refrigerated base cabinet





The 42" LX2 is also available with 1 door and 2 drawer cart.

42" ALX2 GRILL

- Three 18-SR stainless steel main burners producing 82,500 BTUs
- Integrated rotisserie system with built-in motor and 18,500 BTU infrared burner
- Smoker system with 5,000 BTU dedicated burner & drawer for wood chunks
- 770 sq. in. actual grilling area
- 3 Position warming rack stores up out of the way when rotissing
- Dual integrated high-intensity halogen work lights
- User-friendly pushbutton ignition with sealed 110v AC power source
- Optional infrared Sear Zone[™] and refrigerated base cabinet


Available Models

With Sear Zone, #ALX2-42SZ

42" Cart model grill w/ 2 doors 42" Cart model grill w/ 2 drawers Model #ALX2-42 Model #ALX2-42C With Sear Zone, #ALX2-42SZC

Model #ALX2-42CD With Sear Zone, #ALX2-42SZCD

42" Cart model refrigerated grill Model #ALX2-42RFG With Sear Zone, #ALX2-42SZRFG



The Sear Zone™

infrared burner preheats to 1.500°F in about 4 minutes and cooks 50% faster, sealing in juices with virtually no flare-ups.



All LX2 grills feature an adjustable warming rack which stores up out of the way, allowing use of the rotis without removing the rack.



Insulated Jacket

If your enclosure is to be built of combustible materials, then an insulated jacket is required for safe installation of your grill. Order model #AIJ plus the size of the grill



36" ALX2 GRILL

- Three 18-SR stainless steel main burners producing 82,500 BTUs
- Integrated rotisserie system with built-in motor and 18,500 BTU infrared burner
- Smoker system with 5,000 BTU dedicated burner & drawer for wood chunks
- 660 sq. in. actual grilling area
- 3 Position warming rack stores up out of the way when rotissing
- Dual integrated high-intensity halogen work lights
- User-friendly pushbutton ignition with sealed 110v AC power source
- Optional infrared Sear Zone™

Available Models

36" Built-in grill Model #ALX2-36 With Sear Zone. #ALX2-36SZ

36" Cart model grill Model #ALX2-36C With Sear Zone, #ALX2-36SZC

36" Cart w/2 drawer model grill (shown) Model #ALX2-36CD With Sear Zone, #ALX2-36SZCD

with 2 door cart



The 30" LX2 is also available with 1 door & 2 drawer cart

30" ALX2 GRILL

- Two 18-SR stainless steel main burners producing 55,000 BTUs
- Integrated rotisserie system with built-in motor and 15,000 BTU infrared burner
- Smoker system with 5,000 BTU dedicated burner & drawer for wood chunks
- 542 sq. in. actual grilling area
- 3 Position warming rack stores up out of the way when rotissing
- Dual integrated high-intensity halogen work lights
- User-friendly pushbutton ignition with sealed 110v AC power source
- Optional infrared Sear Zone™

Available Models

Model #ALX2-30 With Sear Zone. #ALX2-30SZ All infrared, #ALX2-30IR

Model #ALX2-30C With Sear Zone. #ALX2-30SZC All infrared, #ALX2-30IRC

30" Cart w/drawer model grill Model #ALX2-30CD With Sear Zone. #ALX2-30SZCD All infrared, #ALX2-30IRCD

Alfresco offers the industry's largest selection of transforming grill options.



Indirect Roasting Pod

Creates additional air gap between food and heat for slow roasting and conveniently holds drip pan for easy clean-up and basting. Uses adjacent burner for true indirect roasting. Fits any Alfresco grill except the ALX2-36. #AIC-POD



Steamer / Fryer / Pasta

Drops into any Alfresco grill to blanch, steam, fry or boil. All s/s. Model #AG-SF



Wok and Wok Ring

Commercial wok and ring, for use on the side burner or on the grill. Professional Wok #AG-WOK Ring #AG-WR



Commercial Griddle

3/16" solid stainless steel plate with side and back splash, great for teppan, fajitas, breakfast or juicy burgers. for side burner #AGSB-G for grill #AGSQ-G



Insulated Jacket

If your enclosure is to be built of combustible materials, then an insulated jacket is required for safe installation of your grill. Order model #AIJ plus the size of the grill



Every year, in conjunction with the International Builder's Show, a showcase home is constructed to highlight the latest in green building technology, techniques and design. For the second time, Alfresco was chosen to design and equip the outdoor kitchen for the New American Home project.

The swim up bar featured a 42" LX2 grill with sear zone installed over a 42" under-grill refrigerator. Flanking the grill on the left is a 7.25 cu. ft. refrigerator with keggerator option, and on the right a trash center and 14" bartender.

For more info. visit www.builderonline.com



Standalone Sear Zone™

Our ceramic infrared searing burner in a convenient, self-contained unit. Built-in model #AGSZ



Food Warmer / Steam Table

Features 3 removable stainless steel food pans with covers, and a slide-out drawer for Sterno-type fuel canisters. Built-in model #AFW Cart model #AFWC





Side Burner Restaurant Power & Control

Dual Side Burner

and elements.

All commercial stainless steel with heli-arc

welded seams, featuring two 20,000 BTU burners with electronic ignition. Recessed

top and s/s cover for protection from wind

Available as built-in unit or mounts to cart

Cart model #AGSB-2C (hangs on grill cart)

model grills in place of side tray.

Exclusive

Alfresco's new Versa Power[™] cooker offers 400 to 65,000 BTUs of power for total heat control. The unique, specially designed super heavy-duty spider grate can handle from smallest of saucepans, and up to a 100 quart stock pot. With numerous options to expand its versatility, is the perfect complementary appliance to complete your outdoor kitchen.

Versa Power Cooking System Model #AGVPC

- Unique individually controlled double burner system
- Brass center burner adjusts from 400 to 20,000 BTUs
- S/S outter tube burner adjusts from 5000 to 45,000 BTUs
- 5/16" Diameter S/S spider grate w/ removable trivet







Simmer delicate sauces at a low 400 BTU



Center burner adjusts from 400 to 20,000 BTU



Outer burner adjusts from 5,000 to 45,000 BTU



Both burners yield an unprecedented 65,000 BTU

Ideal for use as

European French Top



"The most versatile Cooking system period"



Install into island next to Versa Power for convenient filling of large pots. Tower adjustable from 10 to 14" H. with double joint spout #POT-FAUCET



Teppanyaki Griddle & More Model #AGVPC-TG

3/16" solid stainless steel plate with back and end splashes. Ideal for multiple cooking styles. Great for Japanese Teppanyaki cooking, breakfast griddling, Mexican grill, Kamal Tortilla Cooking, and even works well as a plate warmer to keep those steaks sizzling when served.



Commercial Wok

Remove the center ring grate from the Versa Power and drop in a true commercial round bottom wok.



Gives you commercial kitchen range performance in your outdoor kitchen

Commercial Griddle

3/16" solid stainless steel plate with side and back splash, great for teppan, fajitas, breakfast or juicy burgers. for side burner #AGSB-G



Model #AGVPC-WOK

21.5" dia. #AGVPC-WOK



Wok and Wok Ring

Commercial wok and ring, for use on the side burner or on the grill. Professional Wok #AG-WOK Ring #AG-WR

Alfresco is proud to have been the first company to introduce a real all-weather refrigerator that works even in extreme high temperatures.

Actual Test Results

Only our refrigerators can maintain extremely cold

internal temperatures in very hot outside

temperatures. (results may vary due to conditions

7.25 Cu. Ft. Under Grill Refrigerator

Restaurant inspired design offers good ergonomics and versatility available integrated to 42 and 56" cart model grills. Built-in base only model #ARFG-42FB



Exclusive Features=Exceptional Unprecedented Outdoor Performance

- All stainless steel construction inside & out
- 1000 BTU all-weather refrigeration system for deep cooling
- Certified to **NSF** standards (National Sanitation Foundation)
- Temperatures uniquely adjustable from 27 to 56 degrees F
- Commercial fan-driven fin evaporator cooling inside
- Fully front breathing
- Commercial polyurethane shot-in-place foam insulation
- Flash Recovery System guickly cools internal temperature
- User-friendly digital control with lighted display
- Door-activated internal lighting

7.25 cu. ft. One Door Refrigerator

Digital control with lighte display Commercia fan driven fin coil cooling horizontal vortex of air

- 2 Removable adjustable s/s wire shelves
- Field reversible doors
- Converts to keggerator in seconds Optional keg kit #AKK
- Freestanding refrigerator Optional caster assembly #ACK

Exclusive

Converts Easily to Keggerator

Alfresco-built keg dispensing tower uniquely inserts into rear of refrigerator leaving top center free of obstruction.

#AKK Beer dispensing kit includes:

- Alfresco built stainless steel tower w/ faucet
- CO2 tank
- beer lines w/ quick disconnect
- Pressure gauges



Drip tray w/ anti-splash grate

Exclusive

Versa Chill Counter top Refrigerator

Real commercial top access cooler features: state-of-the-art frost wall cooling technology. Temperature range adjusts from the low teens to to 56°F.

Built-in model #ARDI Freestanding Cart model ARDI-C



No limitations!

- Bottle Cooler
- Mug Froster
- Martini freezer
- Fresh fruit smoothie and juice center
- Deli-prep center
- Burger topping/condiment bar
- Salsa bar
- Bottle/Ice Bath
- Wine Cooler
- Keggerator
- Desert Bar

Standard features Include:

- 1,200 BTU all-weather refrigeration system
- Insulated tilt-up and removable stainless steel cover
- Commercial polyurethane shot-in-place foam insulation
- Three removable NSF food pans
- slideable intermediate stainless steel wire shelf
- 1-inch brass drain for easy clean-up
- 101 lb Ice Capacity

Add a built-in unit to your island for super convenient cold storage.



Exclusive

Commercial frost wall technology.

Frost wall creates an arctic blanket of frigid cold air

Cutaway view showing the frost wall design



for access to lower level.

Libation, Smoothie & Juice Bar



All provision & glass chiller



Ice/Bottle Bath



Keggerator

Island Accessories Complete the Dream Kitchen

Island Accessories Complete the Dream Kitchen



30" wide drawer with electronic temp. control. Includes four convenient removable s/s food pans each with removable s/s lid. Model #AWD-30



Exclusive

Plating and Garnish Center

Restaurant inspired plating station w/ food pans, carving board and plate storage below. Create food presentations like a professional. Model #APS-30P



Sealed Dry Storage Pantry

Store dry goods, cookware, and more in a completely sealed environment, safe from weather and pests. 4 sizes with interior drawers and shelf. Model #ADSP-30 or 42 plus H or L for high or low







30" Pantries

Low Profile: Model #ADSP-30L

Exclusive sealed dry storage pantries protect dry provisions, tools, and cookware from weather and pests



42" Pantries Low Profile: Model #ADSP-42L High Profile: Model #ADSP-42H





All s/s design with hot & cold faucet. removabe cutting board and C-fold towel dispenser. Model #ASK-T

17" Single **Access Door**

Left Door, #AB-17L Right Door, #AB-17R



23" Single **Access Door**

Left Door, #AB-23L Right Door, #AB-23R



Double **Access Doors**

30" Wide Doors, #AB-30 36" Wide Doors, #AB-36 42" Wide Doors, #AB-42



30" Storage Drawer

Oversize for large pans. Model #AB-30DR



Paper Towel Holder

For standard roll towels. Model #AB-TH



Doors feature multiple mounting options and internal storage rail

Drawers pull out on German engineered smooth gliding

full extension slides

Door on left, #AB-DDC-L on right, #AB-DDC-R



Storage Drawers

2 Drawer Unit, #AB-2DR

32" Combo

3 Drawer Unit. #AB-3DR



-

Trash Center Drawer

Single bin, #AB-TC Double bin. #AB-TC2 Includes durable plastic receptacle(s





Accessory **Speed Rails**

14" Wide Rail, #RAIL-14 19" Wide Rail, #RAIL-19



Prep & **Waste Chute**

Sliding poly cutting board covers trash chute. Model #APWC



Design Solutions by Alfresco



You Provide This, & We will Provide ——

Tips for Designing the Perfect Outdoor Kitchen

"Let Alfresco's professional kitchen design team help make your outdoor dream kitchen become a reality"





How it works:

Just provide your local authorized Alfresco dealer with basic information of the outdoor space where you will be planning your outdoor kitchen, and Alfresco's commercial kitchen design experts will provide a design that would make any professional chef feel right at home.

Provide your authorized Alfresco dealer with the following:


- Simple sketch (see sample sketch) of the space w/ lines and dimensions
- Direction indicator i.e. East, West, North, South
- Location of house in relationship to kitchen
- Location of pool (if one) in relationship to kitchen
- Outdoor room (if one) in relationship to kitchen
- Outdoor Fireplace if one
- Prevailing wind direction in relationship to kitchen
- View in relationship to kitchen
- Photos of space if possible
- Gas type i.e. natural or propane





Tips for Designing the Perfect Outdoor Kitchen

When designing commercial kitchens, the layout is broken into "zones," and the location of each zone is strategically placed in order to create harmony in the operation to maximize efficiency. It's also important that each zone is ergonomically intuitive, having all the essential components confined to the zone, keeping everything in arms reach from point of stance. Alfresco has designed all of the pieces necessary to create a fully-functional outdoor kitchen - one in which any professional chef would feel right at home.



Things to Consider When Planning

- The ideal location for your outdoor kitchen
- Number of guests you would entertain on a normal basis
- Are utilities available at the location e.g. water, gas, elec, etc.
- Orientation of outdoor kitchen to house, view, outdoor room, pool
- Orientation to sunset. (be sure seating doesn't face West)
- Prevailing wind direction (avoid positioning grill with backside to wind) • Seating should not be positioned at backside of grill
- Island enclosure material (insulated jacket required for combustible)
- Refrigeration, sealed dry storage, & large sink eliminate trips in and out
- Let Alfresco's Design Solutions professionals assist in your design
- Remember, vour Alfresco dealer is a great source for ideas and knowledge, and creating your dream Alfresco kitchen.

Beverage Centers & Versa Sinks



Versa Sink System Prep and Serve in Style

Serving Shelf w/Light

Condiment Trav

Keep small items accessible

Stainless Ice Pan

Can be added to E or H.

6" Deep

Slides on sink rails

Model #ICE PAN

Sensible Under-the-counter Solution

Model AB-ID

Undercounter-lce drawer & Beverage Center "save valuable counter space"

All stainless steel construction

Heavy duty 150LB capacity drawer slides

Fully insulated housing & drawer face

Standard Components Include:

NSF s/s pan 6-inches deep holds 32 LBS of ice

4 condiment pans bottle & glass storage



AGBC-14 Versa Sink

Sink Basin Size 11" w X 21" d X 8 1/4" h

3" basket drain w/ stopper

Full ice capacity 32 lbs

1" foam insulation all sides & bottom







AS SINK

Each Includes convenient accessories:

- separate s/s ice pan for sink and ice combo use
- hang-on front bottle speed rail (3) bottle capacity
- sliding s/s cover

Exclusive

AGBC-24 Versa Sink

Sink Basin Size 19" w X 21" d X 8 1/4" h

3" basket drain w/ stopper accommodates disposer

Full ice capacity 60 lbs

1" foam insulation all sides & bottom







Exclusive

AGBC-30 Versa Sink

Sink Basin Size 27" w X 21" d X 8 1/4" h

3" basket drain w/ stopper accommodates disposer Full ice capacity 32 lbs

1" foam insulation all sides & bottom wood cutting board



30" Main Sink

Alfresco's modular system allows you to customize the basic unit to suit your exact needs and entertaining style.

All the accessories shown can be quickly attached to the main sink without tools so you can re-configure at any time.



Wood Cutting Board Standard w/ Main Sink

Towel Holder

Simple bar for hand towels.

Speed Rail

Holds bottles for easy access. Comes in two sizes. Model #SPR-LG or #SPR-SM



High Shelf w/Pot Rack & Light

Tru-commercial prep Model #PR-30

Middle Shelf

Model #MS

4" Deep Stainless Colander

For easy draining. Model #COLANDER



Bottle Opener / Towel Rack

Includes cap catcher. Model #BO

As Beverage Center

Blender Shelf

Model #BS

Holds bottles for easy access

Model #SPR-LG or #SPR-SM

Speed Rail

Front accessories easily attach on and off for quick reconfiguration of the sink

Installation & Cutouts Complete the Dream Kitchen



Grills & Insulated jackets

MODEL	CUTO	CUTOUT DIMENSIONS				GAS			
MODEL	W	D	Н	N	YES	NO	AMPS	LINE	
ALX2 / AGBQ-30	28-1/2"	23"	10-1/4"	7/8"	1		1.44 / 0.91	1	
ALX2-36	34-1/2"	23"	10-1/4	7/8"	✓		1.44 / 0.91	✓	
ALX2 / AGBQ-42	40-1/2"	23"	10-1/4"	7/8"	1		1.44 / 0.91	1	
ALX2 / AGBQ-56	54-1/2"	23"	10-1/4"	7/8"	1		1.44 / 0.91	✓	
AIJ-30	33-1/4"	24-5/8"	11-1/4"	7/8"	1		♦	✓	
AIJ-36	39-1/4"	24-5/8"	11-1/4"	7/8"	1		•	1	
AIJ-42	45-1/4"	24-5/8"	11-1/4"	7/8"	1		*	1	
AIJ-56	59-1/4"	24-5/8"	11-1/4"	7/8"	1		*	/	

Note 1: All Grills Require a ½" NPT Gas Connection with 4" WC for natural gas and 10" Wc for liquid propane.

Note 2: All power supplies are 115 VAC-1ø-60 Hz. GFCI Receptacle recommended.

◆ Note : Power Requirement as stated on the corresponding grill (NOT DUE TO THE AIJ JACKET BY ITSELF).

Dimensions and specifications are subject to change without notice. Please visit our website for the latest updates.

Countertop Accessories

YES NO AMPS LINE LINE LINE AGVPC 21-1/2" | 22-1/2" | 10-1/4" | 1-3/8" AGVPC-T10 1-5/8" 💠 3/8" 😂 AGSB / AGSZ 10-1/4" 1/2" 10-1/4" 1/2" AFW 13-1/4" ADT-14 13-1/4" 1/2" ADT-24 ADT-30 1/2" 1" + 2" 1/2" 1" AGBC-14 1" AGBC-24 AGBC-30 7/8" ✓ 0.08 1-1/2" ASK-T APS-30

Accessories

Note 1: All Burners Require a 1/2" NPT Gas Connection with 4" WC for a natural gas and 10" Wc for liquid propane.


Note 2: All Water Lines are 1/8" compression or ½" NPSN unless otherwise shown.


Note 3: All Drains sizes as shown are NPSM standard.

Note 4: All power supplies are 115 VAC-1ø-60 Hz. GFCI Receptacle recommended.

♦ Note: The AGVPC-T 10 pot Filler Tower requires a minimum setback as shown (OVER AND UNDER THE COUNTER) from the back wall for proper hardware installation.


• Note: The AGVPC-T 10 pot Filler Tower requires a 3/8" compression water line and comes with a 72" Long copper line for field connection.





Front Mounted Island Accessories, Pantries, Doors, Drawers and Combo Units

MODEL	CUTOUT DIMENSIONS				SETBACK	POWER			DRAIN	
MODEL	W	Н	D	L	S	YES	NO	AMPS	LINE	
AB-17L / AB-17R	13-7/8"	18-1/2"	~				1			
AB-23L / AB-23R	19-7/8"	18-1/2"	~				1			
AB-30	27-1/4"	18-1/2"	~				1			
AB-42	39-1/4"	18-1/2"	~				/			
AB-DDC-L / AB-DDC-R	29-1/4"	18-1/2"	19-1/4"				1			
AB-2DR	14-3/4"	12-1/2"	19-1/4"				1			
AB-3DR	14-3/4"	19-1/4"	19-1/4"				1			
AB-30DR	27-3/4"	14"	23-3/4"				1			
AB-ID	24"	17-3/4"	25-1/8"				1		5/8" 🗘	
AB-TC (TRASH ONLY)	12-1/2"	26-1/2"	18-1/2"				1			
AB-TH	14-1/2"	8-1/2"	7-7/8"				1			
ADSP-30H	28-3/8"	31-3/4"	23-3/8"				1			
ADSP-30L	28-3/8"	19-3/8"	23-3/8"				1			
ADSP-42H	40-3/8"	31-3/4"	23-3/8"				1			
ADSP-42L	40-3/8"	19-3/8"	23-3/8"				1			
APWC (CHUTE ONLY)	6-1/4"	~	~	8-1/4"	4-5/8" 🔷		1			
AWD-30	28-1/2"	10"	20-1/4"			/		3.9		



Note: All power supplies are 115 VAC-1ø-60 Hz. GFCI Receptacle recommended.

- ◆ Note: 4-5/8" Setback required from cabinet face (NOT BULLNOSE!).
- Note: AB-ID unit comes with 36" plastic drain hose for condensate / ice water waste.

Refrigerator

MODEL	DIMENSIONS			NOTCH	SETBACK	POWER			DRAIN
MODEL	W	Н	D	N	S	YES	NO	5.7 2.9	LINE
AKK	2" DI	AMETER	HOLE		21-15/16"*		/		
ARDI	23"	32"	23"	13/16"		√		5.7	1" 🔾
ARFG-42FB	42-1/2"	21-3/4"	23-1/4"		2" 🔷	/		2.9	
URS-1	28-1/2"	35"	23-3/8"			√		2.8	

Note: All power supplies are 115 VAC-1ø-60 Hz. GFCI Receptacle recommended.

- Note: Setback measured from cabinet front (NOT BULLNOSE!)
- ONOTE: Drain size is NPSM-floor drain in lieu of wall mount is acceptable.
- ◆ Note: Setback minimum distance from floor to accommodate ARFG-42 perimeter flange.

